

DECLARATION OF PERFORMANCE

DoP No 14428

1. Unique identification code of the product-type:

For product number please see attached list

Product-Type, batch or serial number or any other element allowing identification of the construction product:

SC: Shower Enclosures

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Personal hygiene (PH)

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

**LAUFEN CZ s.r.o.
Průmyslová 709/14
669 02 Znojmo, Česká republika
Tel: +420 296 337 711 / e-mail: office.praha@cz.laufen.com / website: www.jika.cz**

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

not applicable

5. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

System 4

6. Harmonised standard:

EN 14428: 2015

7. Declared performance

Essential characteristics	Performance
Impact resistance (IR)	Confirmed
Cleanability (CA)	Confirmed
Durability (DA)	Confirmed


The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

not applicable

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer



Marc Viardot

Director Marketing and Products

DECLARATION OF PERFORMANCE

DoP no 14428

Product No.	Name	Product type	Material	Designation code	Essential characteristics
H2533810006661	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2533810006651	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2513820006681	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2513820006661	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2513820006651	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2513810006681	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2513810006661	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2513810006651	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2913880000141	Lyra plus	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2537130026681	Mio	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2537120026681	Mio	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2537110026681	Mio	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2572120026681	Tigo	BE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2572110026681	Tigo	BE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2562120026681	Tigo	BE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2562110026681	Tigo	BE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2512110026681	Tigo	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2674200026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674210026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674220026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674230026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674240026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674250026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674260026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674270026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674280026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2674290026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684200026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684210026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684220026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684230026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684240026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684250026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684260026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684270026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684280026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2684290026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694200026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694210026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694220026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694230026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694240026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694250026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694260026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694270026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2694280026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2534220026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2544200026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2544210026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2544220026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2544230026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2544240026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2544250026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2544260026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2544270026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2974210026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2974220026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2974230026681	Pure	SE	Tempered glass	EN 12151 - 1+2	CA - DA - IR
H2572N50026681	Nion	BE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2572N50026661	Nion	BE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2572N60026681	Nion	BE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2572N60026661	Nion	BE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2532N10026681	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2532N20026681	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2532N30026681	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2532N10026661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2532N20026661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2532N30026661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2512N10026681	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2512N20026681	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2512N30026681	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2512N10026661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2512N20026661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2512N30026661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2422N30026681	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2422N40026681	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2422N80026681	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2422N30026661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2422N40026661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2422N80026661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2542N10026681	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2542N20026681	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR

Signed for and on behalf of the manufacturer



Marc Viardot

Director Marketing and Products

DECLARATION OF PERFORMANCE

DoP no 14428

Product No.	Name	Product type	Material	Designation code	Essential characteristics
H2542N30026661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2542N10026661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2542N20026661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2542N30026661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2562N10006681	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2562N20006681	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2562N10006661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2562N20006661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2972N10026681	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2972N20026681	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2972N30026681	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2972N10026661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2972N20026661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR
H2972N30026661	Nion	SE	Aluminium, tempered glass	EN 14428	CA - DA - IR