

DECLARATION OF PERFORMANCE

DoP No 997

1. Unique identification code of the product-type:

For product number please see attached list

Product-Type, batch or serial number or any other element allowing identification of the construction product

WP: Wallhung WC-pan(s) made of sanitary ceramics
WCS: Wallhung close-coupled suite(s) made of sanitary ceramics
PP: Pedestal WC-pan(s) made of sanitary ceramics
PCS: Pedestal close-coupled suite(s) made of sanitary ceramics
PO: Pedestal onepiece WC(s) made of sanitary ceramics

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Personal hygiene (PH)

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

LAUFEN CZ s.r.o.
Průmyslová 709/14
669 02 Znojmo, Česká republika
Tel: +420 296 337 711 / e-mail: office.praha@cz.laufen.com / website: www.jika.cz

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

not applicable

5. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

System 4

6. Harmonised standard:

EN 997: 2012 + A1: 2015

7. Declared performance

Essential characteristics	Performance
Capacity of flushing water (CF)	Confirmed
Backflow prevention (BP)	Confirmed
Cleanability (CA)	Confirmed
Load resistance (LR)	Confirmed
Water-, leaktightness (WT)	Confirmed
Valve reliability (VR)	Confirmed
Durability (DA)	Confirmed

The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

not applicable

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer



Joan Pedro Santos
Manufacturing Manager

DECLARATION OF PERFORMANCE

DoP no 997

SUSTAINABILITY ASSESSMENT

Product No.	Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Designation code
H822036	Baby	PP		EN 997 - CL1 - 5A - 5C	CF - BP - CA - DA	5/3	EN 16578 - S5
H822037	Baby	PP		EN 997 - CL1 - 5A - 5C	CF - BP - CA - DA	5/3	EN 16578 - S5
H827037	Baby	PP		EN 997 - CL1 - 7A	CF - BP - CA - DA	7	EN 16578 - S5
H824286	Baltic	PCS	H828283	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H821356	H861356 Boreal	WP	LAUFEN LIS 89466x	EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H820421	Cubito Style	WP		EN 997 - CL1 - 5/6A	CF - BP - CA - LR - DA	4/2	EN 16578 - S5
H823421	Cubito Style	PP		EN 997 - CL1 - 5/6A	CF - BP - CA - LR - DA	4/2	EN 16578 - S5
H824421	H867S21 Cubito Style Diana	PCS	H829422 / H829423	EN 997 - CL1 - 4/5 - VR II	CF - BP - CA - LR - DA - WT - VR	4/2	EN 16578 - S5
H824422	Cubito Style	PCS	H829422 / H829423	EN 997 - CL1 - 4/5 - VR II	CF - BP - CA - LR - DA - WT - VR	4/2	EN 16578 - S5
H820S95	H866S24 Diana	WP		EN 997 CL1 - 4/5/6A + CL2	CF - BP - CA - LR - DA - WT - VR	4/2	EN 16578 - S5
H820642	H820266 Deep by JIKA	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H820642	Deep by JIKA	WP	LAUFEN LIS 89466x	EN 997 - CL2 - 5,9	CF - BP - CA - LR - DA - WT - VR	5,9/3	EN 16578 - S5
H820644	Deep by JIKA	WP		EN 997 - CL1 - 4/5/6A	CF - BP - CA - LR - DA	4/3	EN 16578 - S5
H820644	Deep by JIKA	WP	INEO 920115	EN 997 - CL2 - 4,5	CF - BP - CA - LR - DA - WT - VR	4,5/3	EN 16578 - S5
H823645	Deep by JIKA	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	EN 16578 - S5
H824644	Deep by JIKA	PCS	H826640	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824646	H824576 Deep by JIKA	PCS	H826640	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824647	H860640 Deep by JIKA	PCS	H826652	EN 997 - CL1 - 5 - VR II	CF - BP - CA - LR - DA	5/3	EN 16578 - S5
H824647	H860640 Deep by JIKA	PCS	H826652	EN 997 - CL2 - 5,9	CF - BP - CA - LR - DA - WT - VR	5,9/3	EN 16578 - S5
H820610	Deep by JIKA	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	EN 16578 - S5
H820610	Deep by JIKA	WP	LAUFEN LIS 89466x	EN 997 - CL2 - 5,9	CF - BP - CA - LR - DA - WT - VR	5,9/3	EN 16578 - S5
H820616	H866616 Deep by JIKA	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3	EN 16578 - S5
H820616	H866616 Deep by JIKA	WP	LAUFEN LIS 89466x	EN 997 - CL2 - 5,9/4,5	CF - BP - CA - LR - DA - WT - VR	4,5/3	EN 16578 - S5
H820618	H866618 Deep by JIKA	WP		EN 997 - CL1 - 4A	CF - BP - CA - LR - DA	4/2	EN 16578 - S5
H821615	Deep by JIKA	PP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - DA	5/3	EN 16578 - S5
H821615	Deep by JIKA	PP	LAUFEN LIS 89466x	EN 997 - CL2 - 5,9	CF - BP - CA - DA - WT - VR	5,9/3	EN 16578 - S5
H821615	Deep by JIKA	PP	S3624	EN 997 - CL2 - 5,9	CF - BP - CA - DA - WT - VR	5,9/4	EN 16578 - S5
H825616	H826616 Deep by JIKA	PCS	H828612	EN 997 - CL1 - 5 - VR II	CF - BP - CA - LR - DA	5/3	EN 16578 - S5
H825616	H826616 Deep by JIKA	PCS	H82861x	EN 997 - CL2 - 5,9	CF - BP - CA - LR - DA - WT - VR	5,9/3	EN 16578 - S5
H825617	H826617 Deep by JIKA	PCS	H828612	EN 997 - CL1 - 5 - VR II	CF - BP - CA - LR - DA	5/3	EN 16578 - S5
H825617	H826617 Deep by JIKA	PCS	H82861x	EN 997 - CL2 - 5,9	CF - BP - CA - DA - WT - VR	5,9/3	EN 16578 - S5
H820611	H860611 / H820261 Deep by JIKA	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H820611	H860611 Deep by JIKA	WP	LAUFEN LIS 89466x	EN 997 - CL2 - 5,9	CF - BP - CA - LR - DA - WT - VR	5,9/3	EN 16578 - S5
H820614	H866614 Deep by JIKA	WP		EN 997 - CL1 - 4A	CF - BP - CA - LR - DA	4/2	EN 16578 - S5
H820614	H866614 Deep by JIKA	WP	LAUFEN LIS 89466x	EN 997 - CL2 - 5,9/4,5	CF - BP - CA - LR - DA - WT - VR	4,5/3	EN 16578 - S5
H823615	H823262 Deep by JIKA	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	EN 16578 - S5
H823615	H823262 Deep by JIKA	PP	LAUFEN LIS 89466x	EN 997 - CL2 - 5,9	CF - BP - CA - DA - WT - VR	5,9/3	EN 16578 - S5
H823616	Deep by JIKA	PCS	H827612 / H827613	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H823616	H860618 Deep by JIKA	PCS	H827612 / H827613	EN 997 - CL2 - 5,9	CF - BP - CA - DA - WT - VR	5,9/3	EN 16578 - S5

Signed for and on behalf of the manufacturer



Joan Pedro Santos
Manufacturing Manager

P = Pack

DECLARATION OF PERFORMANCE

DoP no 997

SUSTAINABILITY ASSESSMENT

Product No.	Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Designation code
H823617	Deep by JIKA	PCS	H827612 / H827613	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H823617	Deep by JIKA	PCS	H827612 / H827613	EN 997 - CL2 - 5,9	CF - BP - CA - DA - WT - VR	5,9/3	EN 16578 - S5
H823618	Deep by JIKA	PCS	H827612 / H827613	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H823618	Deep by JIKA	PCS	H827612 / H827613	EN 997 - CL2 - 5,9	CF - BP - CA - DA - WT - VR	5,9/3	EN 16578 - S5
H824616	H822616 Deep by JIKA	PCS	H827612 / H827613	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824616	H860616 Deep by JIKA	PCS	H827612 / H827613	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824616	H822616 Deep by JIKA	PCS	H827612 / H827613	EN 997 - CL2 - 5,9	CF - BP - CA - DA - WT - VR	5,9/3	EN 16578 - S5
H824616	H860616 Deep by JIKA	PCS	H827612 / H827613	EN 997 - CL2 - 5,9	CF - BP - CA - DA - WT - VR	5,9/3	EN 16578 - S5
H824617	H822617 Deep by JIKA	PCS	H827612 / H827613	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824617	H860617 Deep by JIKA	PCS	H827612 / H827613	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824617	H822617 Deep by JIKA	PCS	H827612 / H827613	EN 997 - CL2 - 5,9	CF - BP - CA - DA - WT - VR	5,9/3	EN 16578 - S5
H824617	H860617 Deep by JIKA	PCS	H827612 / H827613	EN 997 - CL2 - 5,9	CF - BP - CA - DA - WT - VR	5,9/3	EN 16578 - S5
H821370	H821380 Dino H866790 Euroline-N H86S790 Diana H866XP0 Expres	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H821377	H860377 Dino rimless	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H821377	H860378 Dino rimless	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H822000	Dino	PP		EN 997 - CL1 - 6A	CF - BP - CA - DA	6/3	EN 16578 - S5
H822008	Dino	PP		EN 997 - CL1 - 6A	CF - BP - CA - DA	6/3	EN 16578 - S5
H827396	Dino	PCS	H826370	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H820654	Ebe	WP	LAUFEN LIS 89466x	EN 997 CL1 6/5 A	CF - BP - CA - LR - DA	5/3	EN 16578 - S5
H820371	H866370 Enigma H866390 Neo	WP	LAUFEN LIS 89466x	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824796	H825796 Euroline-N	PCS	H828792 / H828793	EN 997 CL1 - 6 - VRII	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5
H824796	B61084 Pride	PCS	H828792 / H828793	EN 997 CL1 - 6 - VRII + CL2	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5
H824796	H867796 Euroline-N H867EL6 H867798	PCS	H828792 / H828793	EN 997 CL1 - 6 - VRII	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5
H824796	H860BC6 Basic H867BC6	PCS	H828792 / H828793	EN 997 CL1 - 6 - VRII	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5
H824796	H860278 Diana	PCS	H828792 / H828793	EN 997 CL1 - 6 - VRII	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5
H824796	H825E56 Easy	PCS	H828792 / H828793	EN 997 CL1 - 6 - VRII	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5
H824796	H890XP6 Expres	PCS	H828792 / H828793	EN 997 CL1 - 6 - VRII	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5
H824796	H860526 Perfetto	PCS	H828272	EN 997 CL1 - 6 - VRII	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5
H824797	H825797 Euroline-N H861797 H861EL7	PCS	H828792 / H828793	EN 997 CL1 - 6 - VRII	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5
H824797	H867797 Euroline-N H867EL7 H867799	PCS	H828792 / H828793	EN 997 CL1 - 6 - VRII	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5

Signed for and on behalf of the manufacturer

P = Pack

DECLARATION OF PERFORMANCE

DoP no 997

SUSTAINABILITY ASSESSMENT

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Designation code
H824797	H860BC7 H867BC7	Basic	PCS	H828792 / H828793	EN 997 CL1 - 6 - VRII	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5
H824797	H860279	Diana	PCS	H828792 / H828793	EN 997 CL1 - 6 - VRII	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5
H824797	H825ES7	Easy	PCS	H828792 / H828793	EN 997 CL1 - 6 - VRII	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5
H824797	H867XP7	Expres	PCS	H828792 / H828793	EN 997 CL1 - 6 - VRII	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5
H824797	H867527	Perfetto	PCS	H828272	EN 997 CL1 - 6 - VRII	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5
H820790	H866790	Euroline-N	WP	LAUFEN LIS 89466x	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824397	H861795	Euroline-N	PCS	H828792 / H828793	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H820790		Euroline-N	WP	LAUFEN LIS 89466x	EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H821630	H821632	Imola	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H821630	H821390	Imola	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H821630	H821633	Imola	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H821372	H820263	Lyra new	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H821372		Lyra new	WP	LAUFEN LIS 89466x	EN 997 - CL2 - 5,9	CF - BP - CA - LR - DA - WT - VR	5,9/3	EN 16578 - S5
H824276	H824236	Lyra new/Concept	PCS	H828272	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824276	H826398	Lyra new/Troma	PCS	H826642	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824276	H860270	Lyra new/Easy/Norma	PCS	H826642	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824276	H860272	Lyra new/Euroline	PCS	H828272	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824276	H860274	Lyra new/RPG	PCS	H826342	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824276	H861640	Lyra new	PCS	H828272 / H828273	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824276	H824178	Lyra new/Uni	PCS	H827972	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824277	H860279	Diana	PCS	H828792 / H828793	EN 997 CL1-6-VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824277	H860XP7	Expres	PCS	H828272 / H828273	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824277	H860527	Perfetto	PCS	H828272	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824277	H825237	Lyra new	PCS	H828272 / H828273	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824277	H824237	Lyra new/Concept	PCS	H828272	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824277	H826399	Lyra new/Troma	PCS	H826642	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824277	H860271	Lyra new/Easy/Norma	PCS	H826642	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824277	H860273	Lyra new/Euroline	PCS	H828272	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824277	H860275	Lyra new/RPG	PCS	H826342	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824277	H824179	Lyra new/Uni	PCS	H827972	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H821384	H866384 H866385	Lyra plus rimless	WP		EN 997 - CL1 - 5/6A	CF - BP - CA - LR - DA	5/3	EN 16578 - S5
H821386		Lyra plus	PP		EN 997 - CL1 - 5A	CF - BP - CA - DA	5/3	EN 16578 - S5
H821387		Lyra plus	PP		EN 997 - CL1 - 5A	CF - BP - CA - DA	5/3	EN 16578 - S5
H823380	H823261 H866380	Lyra plus	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H823380	H862383 H866380 H866381	Lyra plus	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	EN 16578 - S5

Signed for and on behalf of the manufacturer



Joan Pedro Santos
Manufacturing Manager

P = Pack

DECLARATION OF PERFORMANCE

DoP no 997

SUSTAINABILITY ASSESSMENT

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Designation code
H823380	H823261 H862383	Lyra plus	WP	LAUFEN LIS 89466x	EN 997 - CL2 - 5,9/4,5	CF - BP - CA - LR - DA - WT - VR	4,5/3	EN 16578 - S5
H823382	H860382	Lyra plus	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H823382	H860382	Lyra plus	WP	LAUFEN LIS 89466x	EN 997 - CL2 - 5,9	CF - BP - CA - LR - DA - WT - VR	5,9/3	EN 16578 - S5
H823386	H827386	Lyra plus	PCS	H827382 / H827383	EN 997 - CL1 - 5/6 - VRII	CF - BP - CA - LR - DA - WT - VR	5/3	EN 16578 - S5
H823387	H827387	Lyra plus	PCS	H827382 / H827383	EN 997 - CL1 - 5/6 - VRII	CF - BP - CA - LR - DA - WT - VR	5/3	EN 16578 - S5
H824384	H826384	Lyra plus	PCS	H828382 / H828383	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824386	H826386	Lyra plus	PCS	H828382 / H828383	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824386	H862386	Lyra plus	PCS	H828382 / H828383	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824387	H826387	Lyra plus	PCS	H828382 / H828383	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824387	H862387	Lyra plus	PCS	H828382 / H828383	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824726	H825726	Lyra plus	PCS	H827722 / H827723	EN 997 - CL1 - 6/5 - VRII	CF - BP - CA - LR - DA	5/3	EN 16578 - S5
H824726	H826726	Lyra plus	PCS	H829722 / H829723	EN 997 - CL1 - 6/5 - VRII	CF - BP - CA - LR - DA	5/3	EN 16578 - S5
H824727	H825727	Lyra plus	PCS	H827722 / H827723	EN 997 - CL1 - 6/5 - VRII	CF - BP - CA - LR - DA	5/3	EN 16578 - S5
H824727	H826727	Lyra plus	PCS	H829722 / H829723	EN 997 - CL1 - 6/5 - VRII	CF - BP - CA - LR - DA	5/3	EN 16578 - S5
H825386		Lyra plus	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	EN 16578 - S5
H825387		Lyra plus	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	EN 16578 - S5
H826282		Lyra plus Scandia	PCS	H829385	EN 997 CL1-6-4-VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H826283		Lyra plus Scandia	PCS	H829385	EN 997 CL1-6-4-VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
A342ND0000	H826383	Lyra plus Scandia	PCS	H828380	EN 997 CL1-6-4-VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
A342ND1000	H826389	Lyra plus Scandia	PCS	H828380	EN 997 CL1-6-4-VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H825LP1		Lyra Style	PCS	H827422/H827423	EN 997 - CL1 - 4/5 - VRII	CF - BP - CA - LR - DA - WT - VR	4/2	EN 16578 - S5
H825LP2		Lyra Style	PCS	H827422/H827423	EN 997 - CL1 - 4/5 - VRII	CF - BP - CA - LR - DA - WT - VR	4/2	EN 16578 - S5
H821523		JIKAclean Mila	WP	INEO 920115	EN 997 CL1 - 5/6 + CL2	CF - BP - CA - LR - DA - WT - VR	4,5/3	EN 16578 - S5
H823523		JIKAclean Mila	PP		EN 997 CL1 - 5/6 + CL2	CF - BP - CA - LR - DA - WT - VR	4,5/3	EN 16578 - S5
H821524		Marea	WP	INEO 920115	EN 997 CL1 - 5/6 + CL2	CF - BP - CA - LR - DA - WT - VR	4,5/3	EN 16578 - S5
H821525		Kryo	WP	INEO 920115	EN 997 CL1 - 5/6 + CL2	CF - BP - CA - LR - DA - WT - VR	4,5/3	EN 16578 - S5
H820712		Mio N	WP		EN 997 - CL1 - 6/5A - 6C	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H820712		Mio N	WP	LAUFEN LIS 89466x	EN 997 - CL2 - 5,9	CF - BP - CA - LR - DA - WT - VR	5,9/3	EN 16578 - S5
H820714	H866714 H866715	Mio N rimless	WP		EN 997 - CL1 - 5A	CF - BP - CA - LR - DA	5/3	EN 16578 - S5
H820714	H866714 H866715	Mio N rimless	WP	LAUFEN LIS 89466x	EN 997 - CL2 - 5,9	CF - BP - CA - LR - DA - WT - VR	5,9/3	EN 16578 - S5
H820716	H866716 H866717 H86S716	Mio N rimless	WP		EN 997 - CL1 - 5A	CF - BP - CA - LR - DA	5/3	EN 16578 - S5
H820716	H866716 H866717	Mio N rimless	WP	LAUFEN LIS 89466x	EN 997 - CL2 - 5,9/4,5	CF - BP - CA - LR - DA - WT - VR	4,5/3	EN 16578 - S5
H821714	H866718 H869714	Mio N vortex	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3	EN 16578 - S5

Signed for and on behalf of the manufacturer



Joan Pedro Santos
Manufacturing Manager

P = Pack

DECLARATION OF PERFORMANCE

DoP no 997

SUSTAINABILITY ASSESSMENT

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Designation code
H821714	H866718 H869714	Mio N vortex	WP	INEO 920115	EN 997 - CL2 - 4,5	CF - BP - CA - LR - DA - WT - VR	4,5/3	EN 16578 - S5
H823716		Mio	PCS	H827712 / H827713 / H828717	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H823716		Mio	PCS	H827712 / H827713 / H828717	EN 997 - CL2 - 5,9	CF - BP - CA - DA - WT - VR	5,9/3	EN 16578 - S5
H824716	H824718	Mio	PCS	H827712 / H827713 / H828717	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824716	H824718	Mio	PCS	H827712 / H827713 / H828717	EN 997 - CL2 - 5,9	CF - BP - CA - DA - WT - VR	5,9/3	EN 16578 - S5
H826716		Mio N	PCS	H829712 / H829713	EN 997 - CL1 - 5 - VRII	CF - BP - CA - LR - DA	5/3	EN 16578 - S5
H821746		Munique	PP		EN 997 CL1 - 6A - 6C	CF - BP - CA - DA	6/3	EN 16578 - S5
H821747		Munique	PP		EN 997 CL1 - 6A - 6C	CF - BP - CA - DA	6/3	EN 16578 - S5
H824796	H867396	Neo	PCS	H828792 / H828793	EN 997 CL1-6-VRII	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5
H824397	H867395	Neo	PCS	H828792 / H828793	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824797	H867397	Neo	PCS	H828792 / H828793	EN 997 CL1-6-VRII	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5
WM822MD3	H862396	Neo	PCS	H828792	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA - VR	6/3	EN 16578 - S5
H860522		Perfetto	PCS	H828272	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H860523		Perfetto	PCS	H828272	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H820228		Prisma/Profil	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H820423		Pure	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	4,5/3	EN 16578 - S5
H820423		Pure	WP	LAUFEN LIS 89466x	EN 997 - CL2 - 5,9	CF - BP - CA - LR - DA - WT - VR	5,9/3	EN 16578 - S5
H820424	H866424	Pure	WP		EN 997 - CL1 - 4/5/6A + CL2	CF - BP - CA - LR - DA	4,5/3	EN 16578 - S5
H820424	H866424	Pure	WP	LAUFEN LIS 89466x	EN 997 - CL2 - 5,9	CF - BP - CA - LR - DA - WT - VR	5,9/3	EN 16578 - S5
H823424		Pure	PP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - DA	6/3	EN 16578 - S5
H823424		Pure	PP	LAUFEN LIS 89466x	EN 997 - CL2 - 5,9	CF - BP - CA - DA	5,9/3	EN 16578 - S5
H824426		Pure	PCS	H828422 / H828423	EN 997 - CL1 - 5 - VRII	CF - BP - CA - LR - DA	5/3	EN 16578 - S5
H824426		Pure	PCS	H828422 / H828423	EN 997 - CL2 - 5,9	CF - BP - CA - DA - WT - VR	5,9/3	EN 16578 - S5
H821421		Pure Style	WP		EN 997 CL1 - 4/5/6A + CL2	CF - BP - CA - DA - WT - VR	4/2	EN 16578 - S5
H823420		Pure Style	PP		EN 997 CL1 - 4/5/6A + CL2	CF - BP - CA - DA - WT - VR	4/2	EN 16578 - S5
H825421		Pure Style	PCS	H827422 / H827423	EN 997 CL1 - 4/5/6A + CL2	CF - BP - CA - DA - WT - VR	4/2	EN 16578 - S5
H821156		Roman	PP		EN 997 - CL1 - 9A	CF - BP - CA - DA	9	EN 16578 - S5
H821157	H821217	Roman	PP		EN 997 - CL1 - 9A	CF - BP - CA - DA	9	EN 16578 - S5
H821227		Sam	PP		EN 997 - CL1 - 6A	CF - BP - CA - DA	6/3	EN 16578 - S5
H822386	H826286	Scandia	PCS	H828283 / H829385	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H822386	H824286	Scandia	PCS	H828283 / H829385	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H825287	H826287	Scandia	PCS	H828283	EN 997 - CL1 - 6 - 4 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H825288	H826289	Scandia	PCS	H828283	EN 997 - CL1 - 6 - 4 - VRII	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H820213		Tigo	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	EN 16578 - S5
H820213		Tigo	WP	LAUFEN LIS 89466x	EN 997 - CL2 - 5,9	CF - BP - CA - LR - DA - WT - VR	5,9/3	EN 16578 - S5
H824216		Tigo	PCS	H828212 / H828213	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	5/3	EN 16578 - S5

Signed for and on behalf of the manufacturer

P = Pack

DECLARATION OF PERFORMANCE

DoP no 997

SUSTAINABILITY ASSESSMENT

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Designation code
H824216		Tigo	PCS	H828212 / H828213	EN 997 - CL2 - 4,5	CF - BP - CA - LR - WL - VR - DA	4,5/3	EN 16578 - S5
H820TB0		Toba	WP	LAUFEN LIS 89466x	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H821390		Troma	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H820319		UNI/Nilia	WP		EN 997 CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H820396	H860396	Zeta	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H822396		Zeta	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	EN 16578 - S5
H822397		Zeta	PP		EN 997 - CL1 - 6A	CF - BP - CA - DA	6/3	EN 16578 - S5
H822746		Zeta plus	PP		EN 997 - CL1 - 5/6A - 6C	CF - BP - CA - DA	5/3	EN 16578 - S5
H822746		Zeta plus	PP	LAUFEN LIS 894665	EN 997 - CL2 - 5,9	CF - BP - CA - DA - WT - VR	5,9/3	EN 16578 - S5
H822747		Zeta plus	PP		EN 997 - CL1 - 5/6A - 6C	CF - BP - CA - DA	5/3	EN 16578 - S5
H822747		Zeta plus	PP	LAUFEN LIS 894665	EN 997 - CL2 - 5,9	CF - BP - CA - DA - WT - VR	5,9/3	EN 16578 - S5
H822796		Zeta plus	PP		EN 997 CL1 - 4/5/6A + CL2	CF - BP - CA - DA - WT - VR	4/3	EN 16578 - S5
H822797		Zeta plus	PP		EN 997 CL1 - 4/5/6A + CL2	CF - BP - CA - DA - WT - VR	4/3	EN 16578 - S5
H824396	H860100	Zeta	PCS	H828392 / H828393 / H828272	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824396	H825396	Zeta	PCS	H828392	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824396	H825496	Zeta	PCS	H828392 / H828393 / H828272	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824396	H861393	Zeta/Neo	PCS	H827612	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824396	H861390	Zeta/Neo	PCS	H828392	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824396	H860276	Zeta/Diana	PCS	H828392 / H828393 / H828272	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824397	H825497	Zeta	PCS	H828392 / H828393 / H828272	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824397	H860101	Zeta	PCS	H828392 / H828393 / H828272	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824397	H825397	Zeta	PCS	H828392	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824397	H861395	Zeta/Neo	PCS	H827612	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824397	H861399	Zeta/Neo	PCS	H828392	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824397	H860277	Zeta/Diana	PCS	H828392 / H828393 / H828272	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA	6/3	EN 16578 - S5
H824Z91		Zeta PLUS Rimless	PCS	H828Z92/H828Z93	EN 997 CL1 - 4/5 - VR II	CF - BP - CA - DA - WT - VR	4,5/3	EN 16578 - S5

Signed for and on behalf of the manufacturer



Joan Pedro Santos
Manufacturing Manager

P = Pack