


MODUL

Urinal system

TECHNICAL DRAWINGS



FEATURES

The concealed module for walling-in or wall mounting using dry installation process. It offers continuously height-adjustable legs from 0 to 200 mm, waste elbow DN 50. The module height is 1320 mm, rugged construction with a load capacity of up to 130 kg. The module includes a complete installation kit.

Width: **500 mm**

Height: **1320 mm**

Suitable for: **Urinal**

© Copyright 2026, JIKA - Všechna práva vyhrazena, S.A. - All rights reserved | 20-11-2026 | http://www.jika.eu/products/urinal-system-H8936010000001?sku=H8936010000001

COMPATIBLE WITH



Siphonic urinal, Antivandal

H840200###0001



Siphonic urinal, Antivandal

H840200###4831



Siphonic urinal

H8402010000001



Urinal Domino Sensor

H841101###0001



Urinal Domino Sensor

H841101###4871



Urinal Domino Sensor

H841101###4881



Siphonic urinal, inner water inlet

H8430600000001



Siphonic urinal, outer water inlet

H8430610000001



Siphonic urinal, Antivandal

H843070###4831



Siphonic urinal, Antivandal

H843070###4891



Siphonic urinal, Antivandal

H843070###4901



Urinal, with outer water inlet

H844100###4401

© Copyright 2026, JIKA - Všechna práva vyhrazena, S.A. - All rights reserved | 20-11-2026 | http://www.jika.eu/products/urinal-system-H8936010000001?sku=H8936010000001

Modul

Top quality, technology and easy installation of concealed modules, modern flush plates design - all this brings the Modul collection.



© Copyright 2026, JIKA - Všechna práva vyhrazena, S.A. - All rights reserved | 20-11-2026 | http://www.jika.eu/products/urinal-system-H8936010000001?sku=H8936010000001