

DECLARATION OF PERFORMANCE

DoP No 997

1. Unique identification code of the product-type:

For product number please see attached list

Product-Type, batch or serial number or any other element allowing identification of the construction product

WP: Wallhung WC-pan(s) made of sanitary ceramics

WCS: Wallhung close-coupled suite(s) made of sanitary ceramics

PP: Pedestal WC-pan(s) made of sanitary ceramics

PCS: Pedestal close-coupled suite(s) made of sanitary ceramics

PO: Pedestal onepiece WC(s) made of sanitary ceramics

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Personal hygiene (PH)

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

LAUFEN CZ, spol. s r. o.

V Tůních 3/1637

120 00 Praha 2, Česká republika

Tel: +420 296 337 711 / e-mail: office.praha@cz.laufen.com / website: www.jika.cz

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

not applicable

5. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

System 4

6. Harmonised standard:

EN 997: 2012 + A1: 2015

7. Declared performance

Essential characteristics	Performance
Capacity of flushing water (CF)	Confirmed
Backflow prevention (BP)	Confirmed
Cleanability (CA)	Confirmed
Load resistance (LR)	Confirmed
Water-, leaktightness (WT)	Confirmed
Valve reliability (VR)	Confirmed
Durability (DA)	Confirmed

The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

not applicable

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer



Joan Pedro Santos
Manufacturing Manager

DoP no 997

Matching flushing cistern	Average water consumption	Designation code
LAUFEN LIS 894665	3,50	EN 16578 - S5
LAUFEN LIS 894665	3,50	EN 16578 - S5
LAUFEN LIS 89466x	7,00	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,73	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
LAUFEN LIS 894665	3,50	EN 16578 - S5
LAUFEN LIS 89466x	3,73	EN 16578 - S5
LAUFEN LIS 894665	3,50	EN 16578 - S5
LAUFEN LIS 89466x	3,73	EN 16578 - S5
	3,50	EN 16578 - S5
	3,73	EN 16578 - S5
	3,50	EN 16578 - S5
	3,73	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,73	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,73	EN 16578 - S5
	3,75	EN 16578 - S5
	3,73	EN 16578 - S5
	3,75	EN 16578 - S5
	3,73	EN 16578 - S5
	3,75	EN 16578 - S5
	3,73	EN 16578 - S5
	3,75	EN 16578 - S5
	3,73	EN 16578 - S5
	3,75	EN 16578 - S5
	3,73	EN 16578 - S5
	3,75	EN 16578 - S5
	3,73	EN 16578 - S5
	3,75	EN 16578 - S5
	3,73	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5

Sub

P = Pack

DoP no 997

Matching flushing cistern	Average water consumption	Designation code
LAUFEN LIS 89466x	3,73	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
LAUFEN LIS 894665	3,50	EN 16578 - S5
LAUFEN LIS 894665	3,50	EN 16578 - S5
LAUFEN LIS 894665	3,50	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,73	EN 16578 - S5
LAUFEN LIS 89466x	3,73	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,73	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,73	EN 16578 - S5
LAUFEN LIS 894665	3,50	EN 16578 - S5
LAUFEN LIS 89466x	3,73	EN 16578 - S5
	3,75	EN 16578 - S5
	3,73	EN 16578 - S5
	3,75	EN 16578 - S5
	3,73	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,73	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,73	EN 16578 - S5

Signed for and on behalf of the manufacturer

Sub

Joan Pedro Santos
Manufacturing Manager

DoP no 997

EUROPEAN WATER LABEL		SUSTAINABILITY ASSESSMENT
Matching flushing cistern	Average water consumption	Designation code
	3,50	EN 16578 - S5
	3,73	EN 16578 - S5
LAUFEN LIS 89466x	9,00	EN 16578 - S5
LAUFEN LIS 89466x	9,00	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
LAUFEN LIS 89466S	3,50	EN 16578 - S5
LAUFEN LIS 89466x	3,73	EN 16578 - S5
	3,50	EN 16578 - S5
	3,73	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466S	3,50	EN 16578 - S5
LAUFEN LIS 89466S	3,73	EN 16578 - S5
LAUFEN LIS 89466S	3,50	EN 16578 - S5
LAUFEN LIS 89466S	3,73	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
LAUFEN LIS 89466x	3,75	EN 16578 - S5
	3,75	EN 16578 - S5
	3,75	EN 16578 - S5

Signed for and on behalf of the manufacturer

P = Pack

LAUFEN CZ, spol. s r. o.
The Czech Republic, 1.4.2019

page: 4/4

Joan Pedro Santos
Manufacturing Manager