



Czech Bathrooms since 1878

DECLARATION OF PERFORMANCE

DoP No 14055

1. Unique identification code of the product-type:

For product number please see attached list

Product-Type, batch or serial number or any other element allowing identification of the construction product

ILL: independent low-level cistern(s)

IBI: independent built in cistern(s)

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Personal hygiene (PH)

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

LAUFEN CZ, spol. s r. o.

V Tůních 3/1637

120 00 Praha 2, Česká republika

Tel: +420 296 337 711 / e-mail: office.praha@cz.laufen.com / website: www.jika.cz

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

not applicable

5. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

System 4

6. Harmonised standard:

EN 14055: 2010 + A1: 2015

7. Declared performance

Essential characteristics	Performance
Water-, leaktightness (WT)	Confirmed
Valve reliability (VR)	Confirmed
noise level (NL)	Confirmed
Flushing Volume (FV)	Confirmed
Durability (DA)	Confirmed

The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

not applicable

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer

Joan Pedro Santos
Manufacturing Manager

DECLARATION OF PERFORMANCE

DoP no 14055

EUROPEAN
WATER LABEL

SUSTAINABILITY
ASSESSMENT

Product No.	Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Average water consumption	Designation code
H8956520000001	WC SYSTEM	IBI	CC-121-R-FO-2V-2L	EN 14055 - CL1-6-NL I-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8956520000001		IBI	CC-121-R-FO-2V-2L	EN 14055 - CL1-5-NL I-VR II	WT - VR - NL - CF - DA	5/3	3,75	EN 16578 - S6
H8956520000001		IBI	CC-121-R-FO-2V-2L	EN 14055 - CL1-4-NL I-VR II	WT - VR - NL - CF - DA	4/3	3,75	EN 16578 - S6
H8956520000001		IBI	CC-121-R-FO-2V-2L	EN 14055 - CL2-NL I-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8956500000001	BASIC TANK SYSTEM	IBI	CC-121-R-FO-2V-2L	EN 14055 - CL1-6-NL I-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8956500000001		IBI	CC-121-R-FO-2V-2L	EN 14055 - CL1-5-NL I-VR II	WT - VR - NL - CF - DA	5/3	3,75	EN 16578 - S6
H8956500000001		IBI	CC-121-R-FO-2V-2L	EN 14055 - CL1-4-NL I-VR II	WT - VR - NL - CF - DA	4/3	3,75	EN 16578 - S6
H8956500000001		IBI	CC-121-R-FO-2V-2L	EN 14055 - CL2-NL I-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8956510000001	BASIC WC SYSTEM	IBI	CC-121-R-FO-2V-2L	EN 14055 - CL1-6-NL I-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8956510000001		IBI	CC-121-R-FO-2V-2L	EN 14055 - CL1-5-NL I-VR II	WT - VR - NL - CF - DA	5/3	3,75	EN 16578 - S6
H8956510000001		IBI	CC-121-R-FO-2V-2L	EN 14055 - CL1-4-NL I-VR II	WT - VR - NL - CF - DA	4/3	3,75	EN 16578 - S6
H8956510000001		IBI	CC-121-R-FO-2V-2L	EN 14055 - CL2-NL I-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8936070000001	WASTE SINK SYSTEM	IBI	CC-121-R-FO-2V-2L	EN 14055 - CL1-6-NL I-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8946590000001	WC SYSTEM HANDICAP PACK	IBI	CC-150-S-FO-2V-2C	EN 14055 - CL1-6/9-NL I-VR I	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8946580000001	WC BASIC SYSTEM HANDICAP PACK	IBI	CC-150-S-FO-2V-2C	EN 14055 - CL1-6/9-NL I-VR I	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8946500000001	BASIC TANK SYSTEM COMPACT	IBI	K302-D5-ERS1	EN 14055 - CL1-6-NL I-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8946500000001		IBI	K302-D5-ERS1	EN 14055 - CL1-5-NL I-VR II	WT - VR - NL - CF - DA	5/3	3,75	EN 16578 - S6
H8946500000001		IBI	K302-D5-ERS1	EN 14055 - CL2-NL I-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8946510000001	BASIC WC SYSTEM COMPACT	IBI	K302-B5-ERS2	EN 14055 - CL1-6-NL I-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8946510000001		IBI	K302-B5-ERS2	EN 14055 - CL1-5-NL I-VR II	WT - VR - NL - CF - DA	5/3	3,75	EN 16578 - S6
H8946510000001		IBI	K302-B5-ERS2	EN 14055 - CL2-NL I-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8946520000001	WC SYSTEM COMPACT	IBI	K302-A5-ERS2	EN 14055 - CL1-6-NL I-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8946520000001		IBI	K302-A5-ERS2	EN 14055 - CL1-5-NL I-VR II	WT - VR - NL - CF - DA	5/3	3,75	EN 16578 - S6
H8946520000001		IBI	K302-A5-ERS2	EN 14055 - CL2-NL I-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8956530000001	BASIC WC SYSTEM COMPACT	IBI	K302-B5-ERS1	EN 14055 - CL1-6-NL I-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8956530000001		IBI	K302-B5-ERS1	EN 14055 - CL1-5-NL I-VR II	WT - VR - NL - CF - DA	5/3	3,75	EN 16578 - S6
H8956530000001		IBI	K302-B5-ERS1	EN 14055 - CL2-NL I-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8956540000001	WC SYSTEM COMPACT	IBI	K302-A5-ERS1	EN 14055 - CL1-6-NL I-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8956540000001		IBI	K302-A5-ERS1	EN 14055 - CL1-5-NL I-VR II	WT - VR - NL - CF - DA	5/3	3,75	EN 16578 - S6
H8956540000001		IBI	K302-A5-ERS1	EN 14055 - CL2-NL I-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8966110000001	WC SET	IBI	630971	EN 14055 - CL1-9-NL II-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8966120000001	WC FRAME SET	IBI	630969	EN 14055 - CL1-9-NL II-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8937100000001	WC TANK	ILL	JT198	EN 14055 - CL1-6-NL II-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6
H8937110000001	WC TANK	ILL	JT198	EN 14055 - CL1-6-NL II-VR II	WT - VR - NL - CF - DA	6/3	3,75	EN 16578 - S6

Signed for and on behalf of the manufacturer

