

DECLARATION OF PERFORMANCE

DoP No 14688

1. Unique identification code of the product-type:

For product number please see attached list

Product-Type, batch or serial number or any other element allowing identification of the construction product

WB: Wash basin(s) made of sanitary ceramics
DWB: Double wash basin(s) made of sanitary ceramics
PWB: Pedestal wash basin(s) made of sanitary ceramics
CWB: Corne wash basin(s) made of sanitary ceramics
WBH: Handrinse wash basin(s) made of sanitary ceramics
WBB: Bowl wash basin(s) made of sanitary ceramics
WBI: Built-in wash basin(s) made of sanitary ceramics
WBD: Drop-in wash basin(s) made of sanitary ceramics
WBC: Countertop wash basin(s) made of sanitary ceramics
WBS: Semi-recessed wash basin(s) made of sanitary ceramics

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Personal hygiene (PH)

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

LAUFEN CZ s.r.o.
V Tůňích 3/1637
120 00 Praha 2, Česká republika
Tel: +420 296 337 711 / e-mail: office.praha@cz.laufen.com / website: www.jika.cz

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

not applicable

5. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

System 4

6. Harmonised standard:

EN 14688: 2015

7. Declared performance

Essential characteristics	Performance
Load resistance (LR)	Confirmed
Cleanability (CA)	Confirmed
Flow rate of overflow (OF)	Confirmed
Durability (DA)	Confirmed

The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

not applicable

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer



Joan Pedro Santos
Manufacturing Manager

DECLARATION OF PERFORMANCE

DoP no 14668

SUSTAINABILITY ASSESSMENT

Product No.	Name	Product type	Designation code	Essential characteristics	Designation code
H810141	JIKA Art	WBB	EN 14688 - CL 00	CA - LR - DA	EN 16578 - S5
H810422	Cubito	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H810423	H861276 Cubito	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H810424	Cubito	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H810426	Cubito	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H811422	Cubito	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H811423	Cubito	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H811424	Cubito	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H812421	Cubito	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H812422	Cubito	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814420	Cubito	DWB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H817422	Cubito	WBD	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H818420	Cubito Pure	WBB	EN 14688 - CL 00	CA - LR - DA	EN 16578 - S5
H818423	Cubito Pure	WBB	EN 14688 - CL 00	CA - LR - DA	EN 16578 - S5
H810611	Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H810612	H861275 Deep by JIKA	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H810613	Deep by JIKA	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H812611	Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H812612	Deep by JIKA	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H812613	Deep by JIKA	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H812614	Deep by JIKA	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H813612	Deep by JIKA	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H813614	Deep by JIKA	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H813618	Deep by JIKA	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H815612	Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H815614	Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H815615	Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H816612	Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H816614	H816264 Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H813010	Ibon	WBD	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H813011	Ibon	WBD	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814361	Lyra new		EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814364	Lyra new		EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H810380	Lyra plus	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H810381	Lyra plus	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H810382	Lyra plus	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H813382	H813263 Lyra plus	WBI	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H813383	Lyra plus	WBI	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H813384	Lyra plus	WBI	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H813385	Lyra plus	WBI	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H813387	Lyra plus	WBI	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814381	Lyra plus	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814382	H861382 Lyra plus	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814383	Lyra plus	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814384	Lyra plus	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H815380	Lyra plus	WBH	EN 14688 - CL 20	CA - LR - DA	EN 16578 - S5
H815381	Lyra plus	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H815382	Lyra plus	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H812712	Mio	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H812713	Mio	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H812714	Mio	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H812716	Mio	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H813714	Mio	WB	EN 14688 - CL 00	CA - LR - DA	EN 16578 - S5
H814712	Mio	WBI	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814714	Mio	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814715	Mio	WBI	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814716	Mio	WBI	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814717	Mio	WBI	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814719	Mio	DWB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H815711	Mio	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H815714	Mio	SWB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5

P = Pack
G = Ground

Signed for and on behalf of the manufacturer



DECLARATION OF PERFORMANCE

DoP no 14668

SUSTAINABILITY ASSESSMENT

Product No.		Name	Product type	Designation code	Essential characteristics	Designation code
H812122		Thalia	WBC	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H812216		Tigo	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H812217		Tigo	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H812218		Tigo	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H812219		Tigo	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814217		Tigo	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H815212		Tigo	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H810390		Zeta	SWB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H810391		Zeta	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H810392		Zeta	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H815390		Zeta	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H815393		Zeta	SWB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H813563	H453631	Cube	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H813561	H453641	Cube	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H813538	H453511/2/3	Petit	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H813564	H453601/2	Cube	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H813562	H453611/2	Cube	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H813560	H453621/2	Cube	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814564	H453752/H453762	Cube	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814565	H453651/1	Cube	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814566	H453661/2	Cube	DWB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814273	H814263	Lyra new	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814273	H814265	Lyra new	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814270		Lyra new	WBH	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814271		Lyra new	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5
H814272		Lyra new	WB	EN 14688 - CL 25	CA - LR - DA	EN 16578 - S5

P = Pack
G = Ground

Signed for and on behalf of the manufacturer



Joan Pedro Santos
Manufacturing Manager